

CORRES. CONTROL
OUTGOING LTR. NO.

DOE ORDER 4700.1

05-RF-00074

DIST.	LTR	ENC
DIETER, T.J.		
FERRERA, D.W.	X	
LINDSAY, D.C.		
LONG, J.		
LYLE, J.L.		
MARTINEZ, L. A.		
PIZZUTO, V.M.		
SHELTON, D.C.		
SPEARS, M.S.		
TUOR, N. R.		

CAMERON, A.G.		
BEAN, C.		
CLARK, D.		
FREIBOTH, C.	X	X
GIBBS, F.	X	
GOLDEN, L.	X	X
HUMISTON, T.		
JENKINS, T.		

NESTA, S.	X	
PARSONS, D.		
WIEMELT, K.		
PRIMROSE, A.	X	
LINSINBIGLER, H.		
SWARTZ, M.		
CABLE, J.		
NININGER, R.		

CORRES. CONTROL	X	X
ADMIN RECD/T130G	X	X
TRAFFIC		
PATS/130		

CLASSIFICATION:

UCNI		
UNCLASSIFIED	X	X
CONFIDENTIAL		
SECRET		

AUTHORIZED CLASSIFIER

SIGNATURE:

CJ *Ferrera*

Date: 01/12/05

IN REPLY TO RFP CC NO.:

ACTION ITEM STATUS:

☐ PARTIAL/OPEN ☐ CLOSED

LTR APPROVALS:

ORIG. & TYPIST INITIALS:

DLP:pvt



RECEIVED

2005 JAN 18 P 1:24

CORRESPONDENCE
CONTROL

JAN 18 2005

05-RF-00074

Gary Morgan, Functional Lead
Cadre Project Management Division
DOE, RFPO

TRANSMITTAL OF BUILDINGS 124 AND 129 RECONNAISSANCE LEVEL
CHARACTERIZATION REPORT (RLCR) -- DWF-006-05

Provided for your review and approval is the enclosed subject report for Buildings 124 and 129. This report characterizes the physical, chemical, and radiological hazards associated with these facilities, summarizes the characterization activities, defines the Data Quality Objectives developed for this characterization, and presents the data quality assessment, verification and validation of results.

Based upon this RLCR and subject to concurrence by the CDPHE, Buildings 124 and 129 are considered RFCA Type 1 Facilities pursuant to the RFETS Decommissioning Program Plan (DPP; K-H, 1999) and are acceptable for demolition.

Please notify Kaiser-Hill when you transmit this document to CDPHE. If you have any questions, do not hesitate to call me or Duane Parsons at extension 6458.


Dennis W. Ferrera

Dennis W. Ferrera
Vice President and Project Manager
Remediation, Industrial D&D and Site Services

DLP:pvt

Enclosure:
As Stated

Orig. and 1 cc - G. Morgan



ADMIN RECORD

IA-A-002591

STATE OF COLORADO

Bill Owens, Governor
Douglas H. Benevento, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80246-1530
Phone (303) 692-2000
TDD Line (303) 691-7700
Located in Glendale, Colorado

Laboratory Services Division
8100 Lowry Blvd.
Denver, Colorado 80230-6928
(303) 692-3090

<http://www.cdphe.state.co.us>



Colorado Department
of Public Health
and Environment

January 28, 2005

Mr. Joseph A. Legare
Director, Project Management
U.S. Department of Energy, Rocky Flats Project Office
10808 Highway 93, Unit A
Golden, CO 80403-8200

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the Reconnaissance Level characterization Report (RLCR) for Buildings 124 and 129. Based on the information contained in this RLCR, we concur that these buildings are RFCA Type 1 facilities and demolition can proceed.

If you have any questions regarding this correspondence, please contact me at (303) 692-3367, or Dave Kruchek at (303) 692-3328.

Sincerely,

Steven H. Gunderson
RFCA Project Coordinator

cc: Dave Kruchek, CDPHE
Mark Aguilar, EPA
Sam Garcia, EPA
Dave Shelton, Kaiser-Hill
Dennis Ferrara, Kaiser-Hill
Cameron Freiboth, Kaiser-Hill
Administrative Record, T130G